

# ATTACHMENT

## Procedure Codes That May Be Used with the “RP” Modifier

Effective for dates of service (DOS) on and after October 1, 2003, the following table lists the procedure codes providers may use with the “RP” modifier (replacement and repair).

<b>Wheelchairs</b>		
<b>Procedure Code</b>	<b>Modifier</b>	<b>Description</b>
<b>E1230</b>		Power operated vehicle (three- or four-wheel nonhighway), specify brand name and model number
<b>E1230</b>	<b>59*</b>	Power operated vehicle (rear-wheel drive), specify brand name and model number
<b>K0001</b>		Standard wheelchair
<b>K0002</b>		Standard hemi (low seat) wheelchair
<b>K0003</b>		Lightweight wheelchair
<b>K0004</b>		High strength, lightweight wheelchair
<b>K0005</b>		Ultralightweight wheelchair
<b>K0006</b>		Heavy-duty wheelchair
<b>K0007</b>		Extra heavy-duty wheelchair
<b>K0009</b>		Other manual wheelchair/base
<b>K0010</b>		Standard-weight frame motorized/power wheelchair
<b>K0011</b>		Standard-weight frame motorized/power wheelchair with programmable control parameters for speed adjustment, tremor dampening, acceleration control and braking
<b>K0012</b>		Lightweight portable motorized/power wheelchair
<b>K0014</b>		Other motorized/power wheelchair base

<b>Hospital Beds</b>		
<b>E0250</b>		Hospital bed, fixed height, with any type side rails, with mattress
<b>E0251</b>		Hospital bed, fixed height, with any type side rails, without mattress
<b>E0255</b>		Hospital bed, variable height, hi-lo, with any type side rails, with mattress
<b>E0256</b>		Hospital bed, variable height, hi-lo, with any type side rails, without mattress
<b>E0260</b>		Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress
<b>E0261</b>		Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress
<b>E0265</b>		Hospital bed, total electric (head, foot, and height adjustments), with any type side rails, with mattress
<b>E0266</b>		Hospital bed, total electric (head, foot, and height adjustments), with any type side rails, without mattress
<b>E0290</b>		Hospital bed, fixed height, without side rails, with mattress
<b>E0291</b>		Hospital bed, fixed height, without side rails, without mattress
<b>E0292</b>		Hospital bed, variable height, hi-lo, without side rails, with mattress
<b>E0293</b>		Hospital bed, variable height, hi-lo, without side rails, without mattress
<b>E0294</b>		Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress
<b>E0295</b>		Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress
<b>E0296</b>		Hospital bed, total electric (head, foot, and height adjustments), without side rails, with mattress
<b>E0297</b>		Hospital bed, total electric (head, foot, and height adjustments), without side rails, without mattress
<b>E0301</b>		Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, without mattress
<b>E0302</b>		Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress
<b>E0303</b>		Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with mattress
<b>E0304</b>		Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress

\*59 = Distinct procedural service.

<b>Lifts</b>		
<b>Procedure Code</b>	<b>Modifier</b>	<b>Description</b>
<b>E0630</b>		Patient lift, hydraulic, with seat or sling
<b>E0635</b>		Patient lift, electric, with seat or sling

<b>Commode Chairs</b>		
<b>E0163</b>		Commode chair, stationary, with fixed arms
<b>E0164</b>		Commode chair, mobile, with fixed arms
<b>E0168</b>		Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each
<b>E0240*</b>		Bath/shower chair, with or without wheels, any size
<b>E0247*</b>		Transfer bench for tub or toilet with or without commode opening

\*Procedure codes E0240 and E0247 are effective for DOS on and after January 1, 2004.